



Technical features, standard equipment,
optional features and dimensional data



DAKOTA

SALT SPREADER (from 0,5 m³ to 1,5 m³)

STANDARD EQUIPMENT




Electric push-button panel



Battery cable connection kit and anchorage / fastening bands to fix the salt spreader on the vehicle



Salt spreader structure in double-walled PPL, stainless steel auger flow channel and auger



Steel support to protect the screw



GPS SENSORS (OPTIONAL)

PVC COVER with quick opening

STEEL LICENSE PLATE SUPPORT with strobe lights

SUPPORT FRAME for foot spacing of the salt spreader (OPTIONAL)

BOLTED STAINLESS STEEL ELEVATION (800 lt, 1000 lt, 1500 lt)




STAINLESS STEEL SHEET to protect the systems

PARKING LEGS (OPTIONAL)


SALT SPREADER DAKOTA



ELECTRIC VIBRATOR



GEARMOTOR
with integrated shock absorber



INTERNAL HOPPER
galvanized steel



BEARINGS
in stainless steel

DAKOTA 500



TRANSPORT DIMENSION:

L. 1990 mm
P. 1300 mm
H. 950 mm

WEIGHT 175 Kg

DAKOTA 800



TRANSPORT DIMENSION:

L. 1990 mm
P. 1300 mm
H. 1050 mm

WEIGHT 185 Kg

DAKOTA 1000



TRANSPORT DIMENSION:

L. 2000 mm
P. 1600 mm
H. 1100 mm

WEIGHT 195 Kg

DAKOTA 1500




TRANSPORT DIMENSION:

L. 2000 mm
P. 1600 mm
H. 1350 mm

WEIGHT 205 Kg

TECHNICAL SHEET



MODEL	WEIGH EMPTY (kg)	HOPPER CAPACITY (m ³)	DISTANCE COVERED(km)	SPREADING WIDTH (mt)	A (mm)	B (mm)	C (mm)
DAKOTA 500	140	0,5	7	1,5 - 12	1250	1310	835
DAKOTA 800	150	0,8	8	1,5 - 12	1250	1310	950
DAKOTA 1000	160	1,0	9	1,5 - 12	1522	1567	994
DAKOTA 1500	170	1,5	12	1,5 - 12	1522	1567	1204

Electric salt spreader made from double wall molded plastic, for pick-up and small trucks with hopper capacity from 0,5 m³ to 1,5 m³ complete of :

- Hopper and structure in double molded plastic;
- Tunnel and spreading disc in stainless steel aisi 304;
- Spreading system by screw in steel;
- Cable with pin for battery connection;
- Remote control to install inside the cabin with cable;
- Pvc cover with quick opening;
- Screening net;
- Electric vibrator;
- Fixing kit with fastening bands;
- License plate support;
- Pair of strobo light.

Optional:

- Gps remote control for automatic spreading;
- Long tower (+ 300 mm);
- Working light;
- Rear camera with display.



MADE-IN-ITALY

SNOW SERVICE S.R.L.

www.snowservicesrl.com
info@snowservicesrl.com



ZÜKO AG

Zürcherstrasse 67, 8620 Wetzikon
 T +41 44 933 61 11, info@zueko.com, zueko.com